



20 Clay Brick Way  
Lantz, NS B2S 3G4  
(902) 883-2201  
salesinfo@shawbrick.ca  
shawbrick.ca

## Maritime





20 Clay Brick Way  
Lantz, NS B2S 3G4  
(902) 883-2201  
salesinfo@shawbrick.ca  
shawbrick.ca


### Clay brick that's warm and welcoming.

Inspired by timeless brickwork traditions, the Maritime Collection from Shaw Brick offers a refined and inviting aesthetic. With its crisp, clean appearance and subtle blend variations, this collection delivers a softer, more sophisticated look compared to other blends. Perfect for creating warm, welcoming spaces, the Maritime Collection embodies the friendly character of its namesake region, making it an excellent choice for traditional and contemporary designs alike.

### COLOUR




Evangeline




Loyalist

### SHAPE



Max 57



Metric  
Modular

### TEXTURE



Rustic

### ADDITIONAL INFORMATION/SPECIFICATIONS

## BRICK MEASUREMENT CHART

Sizes	Metric	Imperial	Approximate Weight	Pieces per Pallet	Coverage
Modular	57 x 90 x 190 mm	2 1/4" x 3 1/2" x 7 5/8"	4 lbs	500	7 pieces/sq. ft.
Max 57	57 x 90 x 255 mm	2 1/4" x 3 1/2" x 10 1/8"	5 lbs	400	5.2 pieces/sq. ft.



20 Clay Brick Way  
Lantz, NS B2S 3G4  
(902) 883-2201  
salesinfo@shawbrick.ca  
shawbrick.ca

**Minimum Compressive Strength - Gross Area MPa (P.S.I.)**

Red: 80-100 (11,000-14,000)

Brown: 70-90 (10,000-13,000)

Buff: 65-85 (9,500-12,000)

**Maximum Water Absorption (24 hr. %)**

Red: 1 - 3

Brown: 2 - 4

Buff: 6 - 8

**Maximum Saturation Coefficient**

Red: 0.65 - 0.78

Brown: 0.50 - 0.70

Buff: 0.70 - 0.78

**Maximum Initial Rate of Absorption**

Red: 1g/min/5,000mm<sup>2</sup>

Brown: 5g/min/20,000mm<sup>2</sup>

Buff: 10g/min/20,000mm<sup>2</sup>

**Freeze Thaw % After 50 Cycles - Meets Requirements**