



A single, light gray, rectangular concrete block with two large, rectangular hollows in the center, shown from a three-quarter perspective. The block has a rough, textured surface and is set against a plain white background.

[illegible]



20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

Durable and versatile building blocks for every project.

Concrete Masonry Units (CMUs) are among the most commonly used construction materials. They provide the structural framework for buildings and serve as a strong backing for various veneer systems, both indoors and outdoors. CMUs are also ideal for many DIY projects.

ADDITIONAL INFORMATION/SPECIFICATIONS

Unit Coverage is 0.89sqft

90mm: 90W x 190H x 390L

available in Stretcher, Solid, Splitable and Bullnose Units.

140mm: 140W x 190H x 390L

available in Stretcher, Solid, Splitable, Half Height, Knock Out Bond Beam, Semi-Solid, Jamb, Bond Beam, Bullnose Units and Service Utility Block.

190mm: 190W x 190H x 390L

available in Stretcher, Splitable, Half Height, Knock Out Bond Beam, Semi-Solid, Jamb, Bond Beam, Bullnose Units, Service Utility Block and Fire Block.

240mm: 240W x 190H x 390L

available in Stretcher, Splitable, Knock Out Bond Beam, Semi-Solid, Jamb, Bond Beam and Bullnose Units.

290mm: 290W x 190H x 390L

available in Stretcher, Splitable, Jamb and Bond Beam.

Pallet Quantities and Weight:

Block Type	Pallet Qty	Pallet Weight (lbs)
90X190X390 SINGLE BULLNOSE	150	3750
90X190X390 DOUBLE END BULLNOSE	150	3750
90X190X390 DOUBLE FACED BULLNOSE	150	3750
90X190X390 SMOOTH	150	3750
140X190X390 SINGLE BULLNOSE	120	3960
140X190X390 DOUBLE END BULLNOSE	120	3960
140X190X390 DOUBLE FACE BULLNOSE	120	3960
140X190X390 SEMI SOLID	90	3510



20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

140X190X390 SERVICE UTILITY	114	3420
140X190X390 U- BOND BEAM	114	3762
140X190X390 KNOCK OUT BOND BEAM	114	3762
140X190X390 HALF HEIGHT	190	3040
190X190X390 SINGLE BULLNOSE	90	3780
190X190X390 DOUBLE END BULLNOSE	90	3780
190X190X390 DOUBLE FACE BULLNOSE	90	3780
190X190X390 SEMI SOLID	60	3360
190X190X390 SERVICE UTILITY	90	3420
190X190X390 U-BOND BEAM	75	3825
190X190X390 KNOCK OUT BOND BEAM	90	3870
190X190X390 HALF HEIGHT	150	3000
240X190X390 SINGLE BULLNOSE	75	3900
240X190X390 SEMI SOLID	45	2970
240X190X390 U-BOND BEAM	65	2925
240X190X390 KNOCK OUT BOND BEAM	65	2925