

20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

# **Eurostone**











20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

### Paving stones for the look of old Europe in your landscaping.

As the name suggests, these attractive stone pavers have the look of old Europe's calm, winding streets that have witnessed the passage of time.

One of our most unique designs, EuroStone Pavers come in four sizes of tumbled stone offering a clean, linear pattern: Small, Medium, Large and Extra Large.

## RECOMMENDED USE







Driveways

Patios & Walkways

**Pool Decks** 

## **COLOUR**







Chamois Charcoal

Mocha Charcoal

Natural Charcoal

## **SHAPE**



**Assorted** 

## **TEXTURE**



**Tumbled** 

## **THICKNESS**

60 mm



20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

#### ADDITIONAL INFORMATION/SPECIFICATIONS

#### **Shapes & Sizes**

#### **Small**

5-L x 5.75-W x 2.375-H in

128-L x 148-W x 60-H mm

#### Medium

5.75-L x 5.75-W x 2.375-H in

148-L x 148-W x 60-H mm

#### Large

6.5-L x 5.75-W x 2.375-H in

168-L x 148-W x 60-H mm

#### Extra Large

7.25-L x 5.75-W x 2.375-H in

185-L x 148-W x 60-H mm

#### **Dimensional Tolerances**

Meets the requirements of CSA A231.2 H1500

Length: -0.0394 to +0.0787 in (-1 to +2 mm)

Width: -0.0394 to +0.0787 in (-1 to +2 mm)

Height: -0.1181 to +0.1181 in (-3 to +3 mm)

#### **Physical Properties**

Meets the requirements of CSA A231.2 H1500

Compressive Strength: 50 MPa at 28 days (Average)

Minimum (MPa): 45 MPa at 28 days (Individual)

Absorption: 5.5% maximum

Freeze Thaw: Not exceed 1% weight loss



## **Packaging**

20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

## **EuroStone**

Pallet Coverage 117 sq. ft.

Weight per Pallet: 3195 lbs / 1452 kg

All dimensions and weights are approximate.