20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

Maritime

20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

Clay brick that's warm and welcoming.
Inspired by timeless brickwork traditions, the Maritime Collection from Shaw Brick offers a refined and inviting aesthetic. With its crisp, clean appearance and subtle blend variations, this collection delivers a softer, more sophisticated look compared to other blends. Perfect for creating warm, welcoming spaces, the Maritime Collection embodies the friendly character of its namesake region, making it an excellent choice for traditional and contemporary designs alike.

COLOUR

Evangeline

Loyalist

SHAPE


Max 57


Metric Modular

TEXTURE

Rustic

ADDITIONAL INFORMATION/SPECIFICATIONS

BRICK MEASUREMENT CHART

Sizes	Metric	Imperial	Approximate Weight	Pieces per Pallet	Coverage
Modular	57 x 90 x 190 mm	2 1/4" x 3 1/2" x 7 5/8"	4 lbs	500	7 pieces/sq. ft.
Max 57	57 x 90 x 255 mm	2 1/4" x 3 1/2" x 10 1/8"	5 lbs	400	5.2 pieces/sq. ft.

20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

Minimum Compressive Strength – Gross Area MPa (P.S.I.)
Red: 80-100 (11,000-14,000)
Brown: 70-90 (10,000-13,000)
Buff: 65-85 (9,500-12,000)

Maximum Water Absorption (24 hr. %)
Red: 1 – 3
Brown: 2 – 4
Buff: 6 – 8

Maximum Saturation Coefficient
Red: 0.65 – 0.78
Brown: 0.50 – 0.70
Buff: 0.70 – 0.78

Maximum Initial Rate of Absorption
Red: 1g/min/5,000mm2
Brow: 5g/min/20,000mm2
Buff: 10g/min/20,000mm2

Freeze Thaw % After 50 Cycles – Meets Requirements